



GSTARP

Fish tank fabric–Factory wholesale



Breeding shed fabric–Factory wholesale

Excellent tear strength / sex / durability / dimensional stability
corrosion resistance and ultraviolet resistance



GSTARP

Fish tank fabric-Factory wholesale



Excellent tear strength



sex / durability

Professional sales team, over 15 years experience in producing Breeding shed fabric, Over 10 years OEM&ODM finished product experience, we are a factory produces pvc tarpulin in Haining, The greatest feature of our Tarp for Breeding shed fabric is stable and durable quality.




dimensional stability



corrosion resistance



ultraviolet resistance



You can get the reasonable price with best quality here.



GSTARP

Fish tank fabric–Specifications

Properties	Units	Test method	750gsm	800gsm	850gsm	900gsm	1050gsm
			Average value	Average value	Average value	Average value	Average value
Base Thread Density	Denier	DIN53350	1000D*1000D	1000D*1000D	500D*500D	1000D*1000D	1000D*1000D
Base Fabric Density	Thread/inch	DIN53351	23*23	23*23	18*17	28*26	30*30 Panama
Finished Fabric Weight	Gram/m2	DIN53352	750	800	850	900	1050
Base Fabric Weight	Gram/m2	DIN53352	200	200	75	236	265
Thickness – finished product	um	DIN53352	60	62	65	72	80
Break Strength Warp	N/5cm	GB/T1040	3000	3000	1250	3500	4200
Break Strength Weft	N/5cm	GB/T1040	2800	2800	1150	3300	4000
Tear Strength Warp	N/5cm	DIN 53363	300	300	150	500	600
Tear Strength Weft	N/5cm	DIN 53363	270	270	125	450	550
Adhesion	N/5cm	DIN 53357	120	120	100	120	120
Temperature range	°C	DIN 53368	-30~+70°C	-30~+70°C	-30~+70°C	-30~+70°C	-30~+70°C
Fire Retardant		Self-extinguishing	Both sides lacquering	Embossing		Top side	Both sides lacquering



GSTARP

Fish tank fabric-Factory wholesale



Safety:

Corrosion resistance, no harmful substances, very small deformation rate, anti-static, flame retardant heat insulation, very safe.

Aging preventing:

PVC fabric production process is advanced, FILE and and basically formed a stable structure, stable polymer compounds making it not prone to be eroded, the surface of the special treatment, there is a very good anti-aging effect, can be used for 10-15 years.

Dimensional stability:

PVC fabric uses liquid paste resin evenly coated on polyester fabric in the middle, and then cured by oven and tunnel furnace, so the deformation is very small, the deformation of 3.5 width is less than 0.5 cm.

Odorless:

The PVC is made of high purity PVC raw materials, all auxiliary materials are also environmentally friendly, as a professional PVC production and manufacturing plant, the product has no odor at all. And with anti-mold function, there is no odor during the use.

Self-cleaning:

surface treatment, acrylic or PVDF, the surface is very smooth, dust or other dirt is difficult to adhere to it, with good self-cleaning.



Super Tear Strength



Super Tensile Strength



No zero phthalic acid



Recyclable




GSTARP

Fish tank fabric-Factory wholesale



Multiple colors



Jiaxing Green Shield New Materials Co., Ltd
Mobile: 0086 13625863196 WhatsApp: 0086 13625863196
Add : No.365 West Qianjiang Road, Haining, Zhejiang, China
e-mail : bill@gstarp.com