



GSTARP

Party tent tarps—Factory wholesale



Wight: 550gsm 580gsm 340gsm 450gsm 650gsm

Customization is also possible

WEB: www.gstarp.com

Jiaxing Green Shield New Materials Co., Ltd

Party tent tarps–Factory wholesale



Fence tarpaulin is made by lamination or coating technology, additional shading layer can ensure 100% shading effect. It's mainly used in outdoor and garden areas, provides reliable privacy protection and aesthetics. PVC material is waterproof, UV resistant and tear resistant, which can withstand all kinds of bad weather and maintain long-term beauty and functionality. The tarp can both block the line of sight and enhance privacy, and can be used as a fence decoration to enrich the visual effect of outdoor space. Easy to install and maintain, available in a variety of colors and sizes for a variety of garden, terraces and outdoor settings.

Professional sales team, over 15 years experience in producing Fence tarpaulin, Over 10 years OEM& ODM finished product experience, we are a factory produces pvc tarpulin in Haining, The greatest feature of our Fence tarpaulin is stable and durable quality.



100% sunshade effect



for outdoor and garden areas



privacy protection and aesthetic effect



Waterproof, anti-ultraviolet, tear-resistant



Enrich the visual effect of outdoor space



Easy to install and maintain



a variety of colors to choose from





Benefits of Using Fence Tarpaulin for Safety and Privacy: →

▶ Protecting Privacy:

PVC Fence Tarpaulin features an opaque mesh layer in the middle, effectively blocking light and ensuring privacy. Whether for residential properties, gardens, construction sites, or porches, it provides excellent privacy protection.

▶ Providing Safety Protection:

PVC Fence Tarpaulin is designed with windproof, UV-resistant, noise-isolating, and durable properties, helping to reduce environmental disturbances. It blocks strong winds, dust, and pollutants, offering additional safety protection for various spaces.

▶ Isolation:

PVC Fence Tarpaulin offers excellent fire resistance, effectively reducing the risk of fire in high-risk environments such as construction workshops, flammable goods warehouses, oil depots, and building sites.

▶ Emergency Space and Area Division:

The PVC Fence Tarpaulin allows for quick and efficient space division in response to emergencies. It is easy to install and dismantle, offering excellent flexibility and timeliness for rapid deployment when needed.



GSTARP

Party tent tarps–Specifications

Applications of Fence Tarpaulin :

▶ **Construction Sites:**

Widely used to enclose construction sites, providing protection for workers' safety and preventing the risk of falling objects or debris. It also helps reduce noise, control dust, and ensures pedestrian safety around the site.

▶ **Sports and Large Event Venues:**

Temporary fences are erected for crowd control or to conceal activities within the venue, providing security, privacy, and effective segregation of different areas.

▶ **Agricultural, Forestry, and Livestock Areas:**

Used around farms, forests, and animal husbandry sites to block wind, dust, and protect livestock and crops.


▶ **Private Residential Areas:**

Used to enclose gardens, pools, porches, and private spaces, ensuring privacy while maintaining an attractive appearance.

▶ **Commercial and Hospitality Spaces:**

Used for creating temporary enclosures in commercial, dining, and event settings, offering privacy and security.

Fence Tarpaulin provides safety and privacy protection across a wide range of environments and applications.





GSTARP

Party tent tarps–Specifications

Properties	Units	Test method	340gsm	450gsm	590gsm	650gsm	500gsm
			Average value	Average value	Average value	Average value	Average value
Base Thread Density	Denier	DIN53350	500D*840D	500D*500D	1000D*1000D	1000D*1000D	1000D*1000D
Base Fabric Density	Thread/inch	DIN53351	30*19	18*16	20*20	20*20	20*20
Finished Fabric Weight	Gram/m2	DIN53352	340	580	590	650	500
Base Fabric Weight	Gram/m2	DIN53352	135	95	180	175	175
Thickness–finished product	um	DIN53352	32	54	50	52	40
Break Strength Warp	N/5cm	GB/T1040	2100	1500	2500	2500	2000
Break Strength Weft	N/5cm	GB/T1040	2200	1200	2400	2200	1800
Tear Strength Warp	N/5cm	DIN 53363	150	250	280	280	250
Tear Strength Weft	N/5cm	DIN 53363	200	200	270	250	220
Adhension	N/5cm	DIN 53357	100	50	90	90	120
Temperature range	°C	DIN 53368	-30~+70	-30~+70	-30~+70	-30~+70	-30~+70
Fire Retardant		Self-extinguishing	M1		3P free		

Items	polyester fabric	weight(g/sqm)	Description
GLT1103	1000D*1000D 20*20	650	PVC laminated tarpaulin
GLT1104	1000D*1000D 20*20	610	
GLT1105	1000D*1000D 9*9	580	
GLT1106	1000D*1000D 18*18	550	
GLT1107	500D*840D	450	
GLT1108	200D*500D 18*12	340	
GCT2206	1000D*1000D 20*20	650	
GCT2208	1000D*1000D 20*20	610	
GKCT3305	1000D*1000D 20*20	650	Knife coated tarpaulin
GKCT3305	1000D*1000D 20*20	610	

Jiaxing Green Shield New Materials Co., Ltd
 Mobile: 0086 13625863196 WhatsApp: 0086 13625863196
 Add : No.365 West Qianjiang Road, Haining, Zhejiang, China
 e-mail : bill@gstarp.com