

## Outside divide screen—Factory wholesale



### Privacy Protection – Preventing Peeping

- ▶ The outside divide screen fabric helps protect privacy in both public and private spaces during work, leisure, or dining.
- ▶ Outside divide screen fabric ensures uninterrupted work processes, providing a relaxed and comfortable space during physical activities while maintaining the necessary privacy and independence.

# Factory wholesale

## Outside divide screen—Factory wholesale

Professional sales team,over 15years experience in producing PVC water pipe material,Over 10years OEM&ODM finished product experience,we are a factory produces pvc tarpulin in Haining ,The greatest feature of our Tarp for PVC water pipe material is stable and durable quality.



Welcome to  
OURFACTORY



## Outside divide screen—Factory wholesale


**Printable:** The fabric has the feature of printable, making it widely used in advertising industry, it can print LOGO according to customer's requirements.

**Color fastness:** Imported pigments are added for sg fabric in the production process, with anti-UV additives, it forms a stable polymer compounds, can maintain this color, and will not fade in the direct light of the eye and hot and humid environment for a long time.

**Safety:** Corrosion resistance, no harmful substances, very small deformation rate, anti-static, flame retardant heat insulation, very safe.


**Aging preventing:** PVC fabric production process is advanced, FILE and and basically formed a stable structure, stable polymer compounds making it not prone to be eroded, the surface of the special treatment, there is a very good anti-aging effect, can be used for 10-15 years

**Environmental Adaptability:** We have exported a lot of products to Southeast Asia, Middle East, North America and other regions of the customer, have good reputations, also the product environmental adaptability is very good, its work temperature is from -40-70.



## Outside divide screen–Specifications

Properties	Units	Test method	320gsm	410gsm	450gsm	750gsm
			Average value	Average value	Average value	Average value
Base Thread Density	Denier	DIN53350	500D*500D	1000D*1000D	500D*500D	1000D*1000D
Base Fabric Density	Thread/inch	DIN53351	9*9	18*18	18*16	23*23
Finished Fabric Weight	Gram/m2	DIN53352	320	400	580	750
Base Fabric Weight	Gram/m2	DIN53352	45	154	95	200
Thickness–finished product	um	DIN53352	31	31	54	60
Break Strength Warp	N/5cm	GB/T1040	800	2500	1500	3000
Break Strength Weft	N/5cm	GB/T1040	750	2000	1200	2800
Tear Strength Warp	N/5cm	DIN 53363	150	250	250	300
Tear Strength Weft	N/5cm	DIN 53363	120	220	200	270
Adhesion	N/5cm	DIN 53357	30	100	50	120
Temperature range	℃	DIN 53368	-30~+70	-40~+70	-30~+70	-30~+70
Fire Retardant		Self-extinguishing				both sides lacquering



## Outside divide screen—Factory wholesale



### Properties of Outside divide screen:

- ▶ Fire retardant
- ▶ heat insulation
- ▶ Colour fastness
- ▶ Smooth surface
- ▶ 100%waterproof
- ▶ Folding resistant
- ▶ No phthalic acid
- ▶ Puncture resistant
- ▶ Alcohol resistance

