

Party tent tarps—Factory wholesale



GSTARP



Colour
Any color

Wight: 550gsm 580gsm 340gsm 450gsm 650gsm

Customization is also possible

WEB: www.gstarp.com

Jiaying Green Shield New Materials Co., Ltd



GSTARP

Party tent tarps–Factory wholesale

Party tent tarps is made by laminating or knife coated process, this tent tarpaulin fabric weight is relatively high,650gsm to 1000gsm. It is a frame tent, generally used for holding parties or major events, with a very beautiful appearance and bright colors. The use of high purity imported PVC raw materials, the product does not have any taste, with UV resistant, relatively small tightness, solid product structure, so the size is very stable. This fabric is perfect for all kinds of large tents.




Super Tear Strength



Antibacterial
and antifungal properties



heat insulation



Super Tensile Strength




GSTARP

Party tent tarps–Factory wholesale

Professional sales team, over 15 years experience in producing Party tent tarps, Over 10 years OEM&ODM finished product experience, we are a factory produces pvc tarpulin in Haining, The greatest feature of our Party tent tarps is stable and durable quality.

Welcome to
OURFACTORY



WEB: www.gstarp.com

Jiaying Green Shield New Materials Co., Ltd




GSTARP

Party tent tarps–Specifications

Items	polyester fabric	weight(g/sqm)	Description	
GLT1103	1000D*1000D 20*20	650	PVC laminated tarpaulin	
GLT1104	1000D*1000D 20*20	610		
GLT1105	1000D*1000D 9*9	580		
GLT1106	1000D*1000D 18*18	550		
GLT1107	500D*840D	450		
GLT1108	200D*500D 18*12	340		
GCT2206	1000D*1000D 20*20	650		PVC coated tarpaulin
GCT2207	1000D*1000D 20*20	700		
GCT2208	1000D*1000D 20*20	610		
GKCT3305	1000D*1000D 20*20	650	Knife coated tarpaulin	
GKCT3305	1000D*1000D 20*20	610		

Colour: Any color





GSTARP

Party tent tarps–Specifications

Properties	Units	Test method	340gsm	450gsm	590gsm	650gsm	500gsm
			Average value	Average value	Average value	Average value	Average value
Base Thread Density	Denier	DIN53350	500D*840D	500D*500D	1000D*1000D	500D*500D	1000D*1000D
Base Fabric Density	Thread/inch	DIN53351	30*19	18*16	20*20	20*20	20*20
Finished Fabric Weight	Gram/m2	DIN53352	340	580	590	650	500
Base Fabric Weight	Gram/m2	DIN53352	135	95	180	175	175
Thickness–finished product	um	DIN53352	32	54	50	52	40
Break Strength Warp	N/5cm	GB/T1040	2100	1500	2500	2500	2000
Break Strength Weft	N/5cm	GB/T1040	2200	1200	2400	2200	1800
Tear Strength Warp	N/5cm	DIN 53363	150	250	280	280	250
Tear Strength Weft	N/5cm	DIN 53363	200	200	270	250	220
Adhension	N/5cm	DIN 53357	100	50	90	90	120
Temperature range	°C	DIN 53368	-30~+70	-30~+70	-30~+70	-30~+70	-30~+70
Fire Retardant		Self-extinguishing	M1	3P free			

JIAXING GREEN SHIELD NEW MATERIALS CO., LTD

Mobile: 0086 13625863196

WhatsApp: 0086 13625863196

Add : No.365 West Qianjiang Road, Haining, Zhejiang, China

e-mail : bill@gstarp.com