



GSTARP

Punching bag tarpaulin—Factory wholesale



Punching bag tarpaulin is a PVC coated tarp, pvc is directly coated on the surface of the substrate, generally a two-layer structure, and the weight is from 210gsm–650gsm. With wear resistance, tear resistance, high strength performance, it can withstand tens of thousands of times without any damage, flexibility and resistance to play superior, with excellent durability. It will also be used to make full boxing sleeves and protective materials, and the surface is made of leather embossing, which can keep the color bright and not faded away.

Factory wholesale

WEB: www.gstarp.com

Jiaying Green Shield New Materials Co., Ltd


Punching bag tarpaulin–Factory wholesale



Professional sales team, over 15 years experience in producing PVC bottom fabric, Over 10 years OEM&ODM finished product experience, we are a factory produces pvc tarpulin in Haining , The greatest feature of our PVC bottom fabric is stable and durable quality.



You can get the reasonable price with best quality here.



WEB: www.gstarp.com

Jiaxing Green Shield New Materials Co., Ltd



GSTARP

Punching bag tarpaulin–Factory wholesale

Choosing the Right Tarpaulin for Punching Bags

Suitable pvc Punching Bag Tarpaulin can improve the training effect. A good Punching Bag Tarpaulin should have the following characteristics.

- ▶ **Environmental adaptability:**
Punching Bag Tarpaulin is selected to adapt to various weather conditions. It has waterproof effect and can ensure long–term stable outdoor use.
- ▶ **UV resistance:**
It can avoid fading and fabric strength reduction in the sun exposure.
- ▶ **High strength:**
It can withstand tens of thousands of hits without any damage .
- ▶ **100% waterproof:**
Prevent water, sweat, damp air and other damages, avoid to damp internal filling of Punching Bag to affect the use .

High quality PVC Punching Bag Tarpaulin is wear–resistant, tear resistant, durable and water resistant with high strength.

Innovative Materials for Punching Bag Tarpaulin

- ▶ New materials of PVC Punching Bag Tarpaulin continue to appear, with significantly improvement in performance and durability:
- ▶ The high strength PVC material is further upgraded to enhance tear resistance and wear resistance, more durably.
- ▶ **TPU material is widely used:**
As a completely environmentally friendly material, TPU is flexible and UV resistant. It can be used in both low and high temperature environments, which fully meets the environmental protection requirements.
- ▶ Both PVC and TPU materials have an anti–bacterial coating on the surface, which reduces the growth of bacteria, is suitable for long time and high strength use, and keeps clean and odorless.
- ▶ The polyester in the middle adopts more advanced weaving technology, further improving durability, to have an effective resistance to shock without deformation.



100% waterproof



Superior UV Protection



durable



Wear resistant and scratch resistant

Factory wholesale

Punching bag tarpaulin–Specifications



Properties	Units	Test method	340gsm	380gsm	450gsm	480gsm	500gsm	550gsm	610gsm
			Average value	Average value	Average value	Average value	Average value	Average value	Average value
Base Thread Density	Denier	DIN53350	500D*840D	250D*250D	500D*840D	1000D*1000D	1000D*1000D	1000D*1000D	500D*840D
Base Fabric Density	Thread/inch	DIN53351	30*19	21*19	30*18	18*18	20*20	18*18	30*19
Finished Fabric Weight	Gram/m2	DIN53352	340	380	450	480	500	550	340
Base Fabric Weight	Gram/m2	DIN53352	135	45	135	154	172	157	135
Thickness – finished product	um	DIN53352	32	30	38	37	40	42	32
Break Strength Warp	N/5cm	GB/T1040	2100	750	1850	2500	2000	2000	2100
Break Strength Weft	N/5cm	GB/T1040	2200	600	1900	2000	1800	1800	2200
Tear Strength Warp	N/5cm	DIN 53363	150	60	250	250	250	220	150
Tear Strength Weft	N/5cm	DIN 53363	200	45	200	220	220	200	200
Adhesion	N/5cm	DIN 53357	100	40	100	100	120	120	100
Temperature range	°C	DIN 53368	-30~+70°C	-30~+70°C	-30~+70°C	-40~+70°C	-30~+70°C	-30~+70°C	-30~+70°C
Fire Retardant		Self-extinguishing	M1						M1



GSTARP

Punching bag tarpaulin-Factory wholesale



Jiaxing Green Shield New Materials Co., Ltd

Mobile: 0086 13625863196

WhatsApp: 0086 13625863196

Add : No.365 West Qianjiang Road, Haining, Zhejiang, China

e-mail : bill@gstarp.com

WEB: www.gstarp.com