



Wight: 700gsm 780gsm 750gsm

Customization is also possible

PVC Garage mat is made of high strength substrate and PVC composite, substrate provides high tear strength and tensile strength, PVC layer waterproof and wear-resistant, very suitable for garage and yard use, protect your garage and yard from oil, rain, sludge,

PVC garage mat tarpaulin-Factory wholesale





GSTARP

Professional sales team, over 15 years experience in producing PVC Greenhouse Fabric, Over 10 years OEM&ODM finished product experience, we are a factory produces pvc tarpulin in Haining, The greatest feature of our Tarp for PVC Greenhouse Fabric is stable and durable quality.



Welcome to
OURFACTORY



You can get the reasonable price with best quality here.



100% waterproof



Acid and
alkali resistance



Wear resistant and
scratch resistant



Prevent algae growth

Factory wholesale



Long lifetime:

Produced by coating or coating process, the product structure is stable, quality is stable, with strong durability, to ensure economic returns, the product has a very good service life, over 10 years.

Recyclable:

PVC Tarpaulin all substances are degradable, including the production of auxiliary materials, and it is no harmful substances, fully recyclable.

Weldable:

Laminated coated fabrics and coating coated fabrics are two layers of PVC film laminated on top of the base cloth in the center, both top and bottom surfaces are PVC layer, so it is very easy to weld, we usually use hot air welding and high frequency welding machine to weld firmly with very good results.



Properties	Units	Test method	650gsm	680gsm	750gsm
			Average value	Average value	Average value
Base Thread Density	Denier	DIN53350	1000D*1000D	1000D*1000D	1000D*1000D PANAMA
Base Fabric Density	Thread/inch	DIN53351	20*20	9*9	30*30
Finished Fabric Weight	Gram/m2	DIN53352	650	680	750
Base Fabric Weight	Gram/m2	DIN53352	175	88	265
Thickness – finished product	um	DIN53352	52	50	65
Break Strength Warp	N/5cm	GB/T1040	2500	1200	4000
Break Strength Weft	N/5cm	GB/T1040	2200	1000	3800
Tear Strength Warp	N/5cm	DIN 53363	280	250	800
Tear Strength Weft	N/5cm	DIN 53363	250	200	700
Adhesion	N/5cm	DIN 53357	90	120	120
Temperature range	°C	DIN 53368	-30~+70°C	-40~+70°C	-30~+70°C
Fire Retardant		Self-extinguishing	M1		ONE SIDE COATED

► Caring for Your PVC Garage Mat:

- ▶ With proper maintenance, PVC garage MATS can provide longer protection and convenience to keep the garage environment clean and safe.
- ▶ Timely maintenance can prolong the service life.
- ▶ Check the edge and seam position regularly and repair in time to ensure safe use .
- ▶ Avoid heavy objects pressing on the PVC Garage Mat for a long time to prevent pits or mat deformation and damage.
- ▶ It can not be exposed to high temperature sunlight for a long time, and needs to be placed in the shade when not in use.
- ▶ Rinse the surface of the PVC Garage Mat with a water pipe.



► Choosing the Right PVC Garage Mat for Your Space

► There are several issues to consider when choosing a PVC Garage Mat :

- ① According to your Garage area, choose the right size of PVC Garage Mat. The PVC Garage Mat sold on the market has a standard size, and you can also customize the size according to the actual needs to ensure that the PVC Garage Mat can completely cover the ground.
- ② PVC Garage Mat has good anti-skid performance to prevent cars and personnel from slipping on it, and has good safety .
- ③ PVC Garage Mat needs to have good durability so that it can withstand pressure and friction for a long time and can be used frequently for a long time.
- ④ PVC Garage Mat fabric has 100% waterproof, corrosion resistance, oil resistance, wear resistance, high strength and other characteristics, and thick PVC Garage Mat can withstand the wear and tear of daily use.
- ⑤ PVC Garage Mat is very convenient when handling, only required to be washed with water pipes, generally black chosen, suitable for various environments.



Jiaxing Green Shield New Materials Co., Ltd

Mobile: 0086 13625863196

WhatsApp: 0086 13625863196

Add : No.365 West Qianjiang Road, Haining, Zhejiang, China

e-mail : bill@gstarp.com