



GSTARP




**PVC** lifting material – Factory wholesale

—**Factory wholesale**

WEB: [www.gstarp.com](http://www.gstarp.com)


Jiaying Green Shield New Materials Co., Ltd

# PVC lifting material-Factory wholesale




The PVC lifting tarpaulin material is made from heavy-duty PVC tarpaulin, offering high load-bearing capacity, 100% waterproofing, tear resistance, and high tensile strength. It is equipped with symmetrical high-strength polyester mesh handles on all sides, making it suitable for cranes or other lifting equipment. It is widely used at construction sites and loading docks, offering excellent flexibility. It can be used for lifting snow, garbage, debris, liquids, river silt, aquatic plants, and more.

Professional sales team, over 15 years experience in producing Color Mesh Fabric, Over 10 years OEM&ODM finished product experience, we are a factory produces pvc tarpaulin in Haining, The greatest feature of our Color Mesh Fabric is stable and durable quality.



*You can get the reasonable price with best quality here.*





### Durability:

The PVC coated fabric is produced by imported equipment, the product structure is advanced, has a solid surface, has a strong resistance to prevent tear, this is one of the biggest features of our products, the quality is very stable, with long life cycle, there is a very excellent durability.

### Scratch resistant:

The PVC coated fabric is a kind of liquid PVC uniformly coated on top of the base cloth, the upper and lower two surfaces are smooth and strong, and polyester base cloth on the high strength, can prevent sharp objects scratch or puncture, with good scratch resistance.

### Wear-resistant:

The fabric surface is very smooth, the surface coating is arranged tightly via surface acrylic or PVDF treatment techniques, the hardness is very high, resisting all kinds of wear and tear, so it is very wear-resistant.

# PVC lifting material-Factory wholesale



» What are the characteristics of PVC Lifting Tarpaulin Material and how to choose it.  
» The characteristics and selection method of PVC lifting tarp:

» Characterized by 100% waterproof, durability and high strength, PVC Lifting Tarpaulin Material has its surface coated with high strength PVC coating, featured by UV resistance, mildew proof and tear resistance, and it can be used in a variety of harsh environments, suitable for house-sharing lifting and hoisting.



## When choosing PVC Lifting Tarpaulin Material, it is necessary to consider the following factors:

Strength and weight, choose the appropriate fabric weight according to the needs, high weight and high strength fabric shall be chosen for heavy cargo lifting.

PVC Lifting Tarpaulin Material is generally used for outdoor use, and with attention paid to durability when considering weather resistance, it needs long-term frequent use.

Dimension: Choose the size according to the size and weight of the lifting goods, to ensure that the bottom cloth reinforcement process can withstand a long period of use.



# PVC lifting material-specifications



Properties	Units	Test method	610gsm	650gsm	750gsm		
			Average value	Average value	Average value	Average value	Average value
Base Thread Density	Denier	DIN53350	500D*840D	1000D*1000D	1000D*1000D Low-wick	1300D*1300D	1500D*1500D
Base Fabric Density	Thread/inch	DIN53351	14*14	20*20	20*20	30*30 Panama	30*30 Panama
Finished Fabric Weight	Gram/m2	DIN53352	610	650	680	1100	1250
Base Fabric Weight	Gram/m2	DIN53352	125	175	175	320	380
Thickness-finished product	um	DIN53352	52	52	52	88	100
Break Strength Warp	N/5cm	GB/T1040	1800	2500	2500	5500	7000
Break Strength Weft	N/5cm	GB/T1040	1600	2200	2200	5000	6800
Tear Strength Warp	N/5cm	DIN 53363	200	280	280	700	1000
Tear Strength Weft	N/5cm	DIN 53363	180	250	250	700	900
Adhesion	N/5cm	DIN 53357	80	90	90	120	120
Temperature range	°C	DIN 53368	-30~+70	-30~+70	-30~+70	-30~+70	-30~+70
Fire Retardant		Self-extinguishing			Both sides lacquering	TRIPLE LACQUERING	



# PVC lifting material-Factory wholesale



Jiaxing Green Shield New Materials Co., Ltd  
Mobile: 0086 13625863196      WhatsApp: 0086 13625863196  
Add : No.365 West Qianjiang Road, Haining, Zhejiang, China  
e-mail : [bill@gstarp.com](mailto:bill@gstarp.com)