

1 truck cover taps



GSTARP



PVC truck tarps Available Worldwide

Truck cover tarpaulin is a kind of truck coating fabric. It is produced in GSTARP factories by hot-laminating, coating, knife-scraping process. As truck driving is a very arduous and tough job that requires avoidance of external elements, hence the importance of strong and durable truck tarpaulin, which provide protection for the cargo and also serve as a promotional tool. We offer excellent and consistent service to our customers with our truck coating fabric. Truck tarpaulin is extremely strong and can withstand all kinds of wind and rain, hail and harsh weather, in the middle of the material is high-density polyester fabric, the top and bottom are covered with two layers of high-density PVC. It can effectively resist ultraviolet rays for a long time, with high strength and long life cycle, featuring very durable material, and tear/abrasion-resistant, tensile, very flexible, good safety, customers can customize the width, length, various colours, and can be available for printing according to the demand. Main product: pvc side curtain fabric, pvc cover tarpaulin for truck, pvc Container transport vehicles fabric, pvc Truck compartment, waterproof fabric, pvc dump truck cover fabric, heavy duty tarpaulin, flat truck fabric.

PVC truck tarps Available Worldwide




Professional sales team, Over 15years experience in producing pvc truck tarpaulin, Over 10years OEM&ODM finished product experience, Gemeny production lines, Automatic computer colour meching system, Advanced inspection process, Imported pvc resin, Can deliver what exactly client need.



2 lumber tarps



- Automatic computer color matching system •
- Advanced inspection procedures •
- Imported PVC resin •



PVC truck tarps Available Worldwide



GSTARP

Features of Truck Tarpaulin

colorful



3 trailer tarps



4 furniture cover



5 container cover



WEB: www.gstarp.com

Jiaying Green Shield New Materials Co., Ltd

PVC truck tarps Available Worldwide



Properties	Units	Test method	590gsm	610gsm	650gsm	680gsm	750gsm	800gsm	850gsm	900gsm	1050gsm
			Average value	Average value	Average value	Average value	Average value	Average value	Average value	Average value	Average value
Base Thread Density	Denier	DIN53350	1000D*1000D	1000D*1000D	1000D*1000D	1000D*1000D Low-wick	1000D*1000D	1000D*1000D	500D*500D	1000D*1000D	1000D*1000D
Base Fabric Density	Thread/inch	DIN53351	9*9	14*4	20*20	20*20	23*23	23*23	18*17	28*26	30*30 Panama
Finished Fabric Weight	Gram/m2	DIN53352	600	610	650	680	750	800	850	900	1050
Base Fabric Weight	Gram/m2	DIN53352		125	175	175	200	200	75	236	265
Thickness—finished product	um	DIN53352	1300	52	52	52	60	62	65	72	80
Break Strength Warp	N/5cm	GB/T1040	25	1800	2500	2500	3000	3000	1250	3500	4200
Break Strength Weft	N/5cm	GB/T1040	1100	1600	2200	2200	2800	2800	1150	3300	4000
Tear Strength Warp	N/5cm	DIN 53363	25	200	280	280	300	300	150	500	600
Tear Strength Weft	N/5cm	DIN 53363	300	180	250	250	270	270	125	450	550
Adhension	N/5cm	DIN 53357	280	80	90	90	120	120	100	120	120
Temperature range	°C	DIN 53368	-30~+70	-30~+70	-30~+70	-30~+70	-30~+70	-30~+70	-30~+70	-30~+70	-30~+70
Fire Retardant		Self-extinguishing					both sides lacquering	Embossing		Top side	Both sides lacquering

PVC Features of Truck Tarpaulin



6 pallet cover tarp



7 boat cover fabric



8 caravan awnings



9 pvc side curtain fabric



Printable: The fabric has the feature of printable, making it widely used in advertising industry, it can print LOGO according to customer's requirements.

Color fastness: Imported pigments are added for sg fabric in the production process, with anti-UV additives, it forms a stable polymer compounds, can maintain this color, and will not fade in the direct light of the eye and hot and humid environment for a long time.

Safety: Corrosion resistance, no harmful substances, very small deformation rate, anti-static, flame retardant heat insulation, very safe.

Aging preventing: PVC fabric production process is advanced, FILE and and basically formed a stable structure, stable polymer compounds making it not prone to be eroded, the surface of the special treatment, there is a very good anti-aging effect, can be used for 10-15 years.

Dimensional stability: PVC fabric uses liquid paste resin evenly coated on polyester fabric in the middle, and then cured by oven and tunnel furnace, so the deformation is very small, the deformation of 3.5 width is less than 0.5 cm.

Odorless: The PVC is made of high purity PVC raw materials, all auxiliary materials are also environmentally friendly, as a professional PVC production and manufacturing plant, the product has no odor at all. And with anti-mold function, there is no odor during the use.

Self-cleaning: surface treatment, acrylic or PVDF, the surface is very smooth, dust or other dirt is difficult to adhere to it, with good self-cleaning.

Easy to clean: fabric is very soft, smooth surface, chemically stable and very easy to clean. It can be cleaned with warm or cold water.

Jiaxing Green Shield New Materials Co., Ltd

Mobile: 0086 13625863196

WhatsApp: 0086 13625863196

Add : No.365 West Qianjiang Road, Haining, Zhejiang, China

e-mail : bill@gstarp.com